



Eye Surgery  
Pre-Operative Orders

Directions: 1. Indicate choice when options are available by placing a check in the box   
2. Mark through entire line any prechecked item you **do not** wish to order  mark through

Attending Physician: \_\_\_\_\_ Diagnosis: \_\_\_\_\_

Status:  Observation Status  Admission for Inpatient Care  Outpatient

ANESTHESIA:  Local  Local/SB  General

ALLERGIES:  NKA ALLERGIC to: \_\_\_\_\_

VITAL SIGNS:

- Vital signs every 8 hours
- Vital signs every \_\_\_\_\_ hour(s)

ACTIVITY:

- Ad lib

DIET:

- NPO
- NPO after Midnight  Regular
- Therapeutic Diet NAS  1600 ADA

MEDICATIONS:

- Gatifloxacin (Zymar) 0.3% ophthalmic solution** (1) Drop to operative every 2 hours while awake resume in AM
- Atropine 1% ophthalmic solution** (1) drop to operative eye every 5 minutes x 3 doses NOW, THEN on call to operating room.
- Neosynephrine 2.5% ophthalmic solution** (1) drop to operative eye every 5 minutes x 3 doses NOW, THEN on call to operating room

PATIENT CARE:

- Void on call to Operating Room
- Pre-Operative education in face-down positioning
- Male patients to shave face in AM of surgery
- POC Blood Glucose (Finger Stick) Now and Call Anesthesiology with results for Diabetic Orders

LABORATORY: (on admission)

- CBC with differential
- BMP (basic metabolic panel)

RADIOLOGY:

- Chest PA lateral, indication: \_\_\_\_\_

CARDIOLOGY:

- EKG (copy to chart), indication: \_\_\_\_\_

CONSULTS:

- Medical consultation by: \_\_\_\_\_ medical management/VTE Prophylaxis for non-ophthalmic conditions to be handled by consultant
- Consult Anesthesiology for IV Access in Pre Op Area

ADDITIONAL ORDERS:

\_\_\_\_\_  
\_\_\_\_\_

Physician \_\_\_\_\_ Pager \_\_\_\_\_ Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Time: \_\_\_\_\_

Verbal Order Verification Signature \_\_\_\_\_ Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Time: \_\_\_\_\_